

**Exam 000-139 study material**

**Made available by ExamsKing.com**



**Free 000-139 Exam Preparation Questions**

**Exam 000-139: AppScan Standard Edition**

**Question: 1**

The system volumes are being backed up twice a week Data volumes are backed up four times a day CDP is used for critical data only Data change rate is 1-3% daily Data is kept for three months Compressible data will only be compressed at the disaster recovery site What is an appropriate amount of disk space to start with in the repository?

- A. half the disk space available
- B. the same size as the protected data space
- C. three to five times the protected data space
- D. one and a half times the protected data space

**Answer: C**

**Question: 2**

A customer wants to back up three Microsoft Exchange servers with IBM Tivoli Storage Manager FastBack (TSM FastBack), but does not have a requirement to use individual item restore of items in any of their Microsoft Exchange servers. Each Microsoft Exchange server has four cores and they will all back up to the same TSM FastBack server. The TSM FastBack server also has four cores. In this configuration, what are the minimum TSM FastBack products required by the customer?

- A. The customer will need a TSM FastBack server, and three TSM FastBack clients.
- B. The customer will only need TSM FastBack for Exchange, and TSM FastBack server.
- C. The customer will need TSM FastBack for Exchange for use on the TSM FastBack server.
- D. The customer will need TSM FastBack for Exchange, and TSM FastBack Disaster Recovery.

**Answer: A**

**Question: 3**

What is the last step to be taken for a dissimilar hardware bare machine recovery (BMR)?

- A. erase the FastBack.conf file location in boot drive root directory
- B. reboot the target server after restoring with the BMR Recovery CD
- C. restart the IBM Tivoli Storage Manager FastBack Manager task with the active flag
- D. change the host name from IBM Tivoli Storage Manager FastBack BMR to the source system host name

**Answer: B**

**Question: 4**

When performing an e-mail restore using Simple Mail Transfer Protocol (SMTP), why is there a prompt to provide a sender e-mail address?

- A. The restore will fail if the address is not included.
- B. A reference point for the source is always required in order to send the e-mail.
- C. The e-mail address for the sender is identified as the source address for any restored e-mail messages.
- D. Some SMTP servers require a valid sender e-mail address to authenticate the user and accept the e-mail.

**Answer: D**

**Question: 5**

How can the configuration of the FTP Server be tested?

- A. Use the IBM Tivoli Storage Manager FastBack Client Configurator to force an immediate data replication operation.
- B. Use IBM Tivoli Storage Manager FastBack Mount to schedule a near-term replication operation, then attempt to mount the replicated volume.
- C. Launch the IBM Tivoli Storage Manager FastBack Manager interface, access the DR Configuration tab, and click the Test Configuration button.
- D. Open a command prompt on the Disaster Recovery (DR) Hub Server and attempt to use FTP to connect to the IBM Tivoli Storage Manager FastBack Server.

**Answer: C**

**Question: 6**

An IBM Tivoli Storage Manager FastBack (TSM FastBack) protected server (\\Server\_27.mycompany.com, 192.168.0.20) has suffered a hardware failure of the primary operating system drive. A similar replacement drive is found and installed. A Bare Machine Recovery (BMR) CD has been created and tested on this server prior to the failure. The TSM FastBack server is named Austin\_FB and has an IP address of 192.168.0.55. Now it is time to start the restore of the system OS drive. The administrator enters the name of the repository share as \\Austin\_FB\FB\_REP\_E and OK. An error message is returned that \\Austin\_FB\FB\_REP\_E is not a valid repository. The administrator re-enters the repository share as \\192.168.0.55\FB\_REP\_E and connects. What is the problem?

- A. The Repository share was wrong.
- B. The CD was bad and should be re-built.
- C. The BMR client requires all repository locations to be entered with their IP address.
- D. The DNS name was not resolved. Check the DNS IP address as entering the BMR client.

**Answer: D**

**Question: 7**

Which information is displayed when right-clicking the snapshot in the Snapshots Monitor display and choosing events for a specific job?

- A. only failed jobs and their status
- B. start times and estimated duration
- C. every event that occurs while the job is in progress
- D. whether any unusual events have occurred while the job is in progress

**Answer: D**

For complete [Exam 000-139 Training kits and Self-Paced Study Material](http://www.examsking.com/000-139)

Visit:

<http://www.examsking.com/000-139.html>



[www.examsking.com](http://www.examsking.com)

