

# **Exam 000-436 study material**

**Made available by ExamsKing.com**



## **Free 000-436 Exam Preparation Questions**

**Exam 000-436: IBM Tivoli Business Service Manager V4.1.1 Implementation**

**Question: 1**

Assuming that Data Fetcher "XYZ" has already been defined, what must be done in order to use the resulting data in a custom scorecard?

- A. Configure an expression for the "XYZ" data fetcher
- B. Configure a template rule that uses the "XYZ" data fetcher as the "Data Feed"
- C. Configure an auto-population rule that can automatically instantiate the service instance
- D. Nothing - once the "XYZ" data fetcher is configured the query results are automatically available for use in a custom scorecard

**Answer: B**

**Question: 2**

Within TBSM where are auto-population rules defined?

- A. Within each template
- B. Within a Custom Canvas
- C. Within each service instance
- D. Within the Service Component Repository

**Answer: A**

**Question: 3**

What are Three Authentication Mechanisms supported by TBSM 4.1.1 ? (Choose Three.)

- A. LDAP
- B. Kerberos
- C. Local O/S
- D. Object Server/Omnibus
- E. RADIUS Authentication
- F. Native, Security Manager

**Answer: A, D, F**

**Question: 4**

Customer is trying to login to the TBSM console using his own user/password but is getting a "Login Failed" error message. What might be the most likely cause of the problem?

- A. TBSM Server is not running
- B. License Server is not running
- C. Security Manager is not running
- D. userid/password is not configured

**Answer: C**

**Question: 5**

A customer would like to create a Custom Page. How is a Custom Page created?

- A. through the Administration Page -> Pages tab
- B. through the Service Administration Page -> Pages tab
- C. through the Administration Page -> layout tab then click on Pages
- D. through the Service Administration Page -> layout tab then click on Pages

**Answer: C**

**Question: 6**

There are Two versions of the View Service tab available to the user: the full client and the thin client. Where can the default client be set? (Choose Two)

- A. in the file \$NCHOME/etc/rad/RAD\_av.props
- B. in the file \$NCHOME/etc/rad/RAD\_server.props
- C. in the file \$NCHOME/etc/rad/RAD\_radservice.props
- D. from the Edit View Definition button of the client toolbar

E. from the Viewer Preferences button of the client toolbar

**Answer: A, E**

**Question: 7**

In order to run the script "rad\_discover\_schema" successfully, which of the following Two statements must be true? (Choose Two.)

- A. The ObjectServer in question must be running
- B. The TBSM instance in question must be running
- C. The GUI Foundation in question must be running
- D. The TBSM Data Source in question must be running
- E. The TBSM Data Fetcher in question must be running

**Answer: A, B**

**Question: 8**

In order to create a hierarchical relationship between a service instance named "ABC" and a service instance named "XYZ", which of the following must be configured?

- A. Edit the service named "ABC", and on the Dependents tab add the "XYZ" service so that it appears in the Selected Services box
- B. Edit the primary template for the "ABC" service, add an additional parameter called "Dependent" and set the default value to "XYZ"
- C. Configure the incoming status rules for the templates assigned to service instance "ABC" such that they use the "XYZ" service as the Data Feed
- D. Configure the templates that are assigned to service instance "ABC" such that they have aggregation rules for all of the templates assigned to service instance name "XYZ"

**Answer: A**

For complete [Exam 000-436 Training kits and Self-Paced Study Material](http://www.examsking.com/000-436)

Visit:

<http://www.examsking.com/000-436.html>



[www.examsking.com](http://www.examsking.com)

