

**Exam 000-938 study material**

**Made available by ExamsKing.com**



**Free 000-938 Exam Preparation Questions**

**Exam 000-938**: IBM Tivoli Netcool Impact V4.0 Implementation

**Question: 1**

Which statement is true about IBM Tivoli Netcool Impact?

- A. A data source needs to be defined for any policy to run.
- B. A Jabber server should be set up in order to run IBM Tivoli Netcool Impact policies.
- C. An e-mail server should be set up in order to run IBM Tivoli Netcool Impact policies.
- D. An ObjectServer data source needs to be defined for policies to update ObjectServer events directly.

**Answer: D**

**Question: 2**

For what is the ncLshutdown script used?

- A. To shut down the GUI server, impact, and JRExec server processes
- B. To stop event processing and policy execution in the IBM Tivoli Netcool Impact server
- C. To shut down the IBM Tivoli Netcool Impact server independently from the application server
- D. To gracefully shut down the PostgreSQL database and the IBM Tivoli Netcool Impact server

**Answer: C**

**Question: 3**

Click the Exhibit button. Which IBM Tivoli Netcool Impact function(s) is used for step 3 in the policy, based on this pseudo-code?

**Exhibit - Sample Pseudo-Code of an Impact Policy**

1. Get the Customer record from Customer database using Customer column from the event
2. Populate the SLA column in the event from the Customer record
3. Interrogate the Reporter database to count the number of Major and Critical events for this customer during the last 7 days
4. If there are more than 3 events, set the severity of the event to Major
5. If there are more than 5 events, set the severity of the event to Critical
6. Return the event to the ObjectServer with the updated columns.

- A. GetByKey
- B. GetByRlter
- C. GetByFilter with CountOnly = TRUE
- D. GetByFilter then the Length function to count the number of items returned in the array

**Answer: D**

**Question: 4**

A customer has a requirement that IBM Tivoli Netcool Impact should only act upon updated events, and never act upon new events. How would IBM Tivoli Netcool Impact be configured to meet this requirement?

- A. Add a field to the ObjectServer that operators can manually update to trigger policies
- B. Include a function in every policy that exits immediately if the IDUC value of the event is U
- C. Add time stamp filtering to the Event Reader, comparing the StateChange value to FirstOccurrence
- D. Select the Get updated events checkbox in the Event Mapping tab of the Event Reader Configuration window

**Answer: C**

**Question: 5**

A customer has a policy that is using the JRExec action to call an external script. The script requires four parameters to function correctly. What can be done to ensure the policy does not call the JRExec action if there are fewer than four parameters?

- A. Define the number of parameters in the JRExec configuration file
- B. Configure the external script to exit if it receives fewer than four parameters
- C. Configure the JRExec action to exit if it receives fewer than four parameters
- D. Configure the policy with an exception handler to check for the number of parameters

**Answer: D**

For complete [Exam 000-938 Training kits and Self-Paced Study Material](http://www.examsking.com/000-938)

Visit:

<http://www.examsking.com/000-938.html>



[www.examsking.com](http://www.examsking.com)



For Latest 000-938Exam Questions and study guides- visit- <http://www.examsking.com/000-938.html>