

Exam 1Z0-035 study material

Made available by ExamsKing.com



Free 1Z0-035 Exam Preparation Questions

Exam 1Z0-035: Oracle9i DBA New Features for Oracle 7.3 and Oracle 8 OCPs

Question: 1

In the Oracle9i Data Guard architecture, what is the purpose of the Log Transport Services?

- A. To transfer redo log information to one or more destinations
- B. To apply redo log records sent from the primary database to a standby database at the receiving location
- C. To synchronize changes to the control files on all standby databases with changes on the primary database when a log switch occurs
- D. To batch archived log files on the primary database until a defined number of checkpoints have been processed and then to distribute the archives to each standby database

Answer: A

Question: 2

Consider the following statement:

```
SQL> EXECUTE DBMS_STATS.GATHER_SCHEMA_STATS (- 2> ownname => 'OE', - 3> estimate_percent => DBMS_STATS.AUTO_SAMPLE_SIZE, - 4> method_opt => 'for all columns size AUTO');
```

What is the effect of 'for all columns size AUTO' of the METHOD_OPT option?

- A. The Oracle server creates a new histogram based on existing histogram definitions for all table, column, and index statistics for the OE schema.
- B. The Oracle server creates a histogram based on data distribution regardless of how the application uses the column/s for all table, column, and index statistics for the OE schema.
- C. The Oracle server creates a histogram based on data distribution and application usage of the column/s for all table, column, and index statistics for the OE schema.
- D. The Oracle server creates a histogram based on application usage, regardless of data distribution, for all table, column, and index statistics for the OE schema.

Answer: C

Question: 3

What criterion does Oracle9i use to determine whether a database file is an Oracle Managed File?

- A. The filename format
- B. Information stored inside a data dictionary table
- C. Information stored in the ALERT.LOG file for the corresponding instance
- D. Information stored inside the corresponding initialization parameter file for the instance

Answer: A

Question: 4

Which CREATE TABLE parameter should you be concerned with if the length of rows in an index-

organized table vary over a wide range of values?

- A. PCTFREE
- B. PCTUSED
- C. PCTINCREASE
- D. PCTTHRESHOLD

Answer: D

Question: 5

In order to speed foreign key creation, Oracle9i will cache the first _____ primary key values only where there are multirow DML statements.

- A. 32
- B. 128
- C. 256
- D. 512

Answer: C

Question: 6

Consider c. A level 1 backup is taken on the first of the month. A level 2 backup is taken every Sunday, and a level 3 backup is taken daily. If the database gets corrupted on the second Wednesday of the month and is lost, which scenario would restore the database completely?

- A. The weekly backup (level 2) and the daily backup (level 3)
- B. The monthly backup (level 1) and the daily backup (level 3)
- C. A base level backup (level 0) is missing and nothing can be recovered
- D. The monthly backup (level 1), the weekly backup (level 2) and the daily backup (level 3)

Answer: C

Question: 7

Online index rebuild functionality has been extended to include which four index structures? (Choose four.)

- A. Bitmap indexes
- B. Reverse key indexes
- C. Function-based indexes
- D. Key-compressed indexes on regular tables
- E. Key-compressed indexes on IOT (including secondary indexes)

Answer: B, C, D, E

For complete [Exam 1Z0-035 Training kits and Self-Paced Study Material](http://www.examsking.com/1Z0-035)

Visit:

<http://www.examsking.com/1Z0-035.html>



www.examsking.com

