

Exam 1Z0-050 study material

Made available by ExamsKing.com



Free 1Z0-050 Exam Preparation Questions

Exam 1Z0-050: Oracle Database 11g: New Features for Administrators

Question: 1

Identify the two direct sources from where SQL plans can be loaded into the SQL plan baselines. (Choose two.)

- A. Cursor cache
- B. Stored outline
- C. SQL Tuning Set
- D. Automatic Workload Repository (AWR) snapshots

Answer: A, C

Question: 2

Which two statements about workload capture and replay operations are true? (Choose two.)

- A. The clients must be created manually on the test machines to perform more realistic testing.
- B. Restart the database in RESTRICTED mode before beginning workload replay to enable a clean state for workload replay.
- C. Restart the database in RESTRICTED mode before beginning workload capture to enable a clean state for capturing the workload.
- D. The application state of the capture system must be identical to the application state of the replay system when the workload replay begins.

Answer: C, D

Question: 3

View the Exhibit exhibit1 to examine the series of SQL commands. View the Exhibit exhibit2 to examine the plans available in the SQL plan baseline. The baseline in the first row of the Exhibit is created when OPTIMIZER_MODE was set to FIRST_ROWS. Which statement is true if the SQL query in exhibit1 is executed again when the value of OPTIMIZER_MODE is set to FIRST_ROWS?

```
SQL> SELECT signature, sql_handle, plan_name, origin, enabled,
accepted, fixed, autopurge
FROM dba_sql_plan_baselines;
```

SIGNATURE	SQL_HANDLE	PLAN_NAME	ORIGIN	ENABLED	ACCEPTED	FIXED
8.062E+18	SYS_SQL_6fe2	SYS_SQL_PLAN_1ea	AUTO-CAPTURE	YES	NO	NO
8.062E+18	SYS_SQL_6fe2	SYS_SQL_PLAN_4be	AUTO-CAPTURE	YES	YES	NO
...						
...						
...						

```
SQL> SHOW PARAMETER OPTIMIZER
```

NAME	TYPE	VALUE
optimizer_capture_sql_plan_baselines	boolean	TRUE
optimizer_dynamic_sampling	integer	2
optimizer_features_enable	string	11.1.0.6
optimizer_index_caching	integer	0
optimizer_index_cost_adj	integer	100
optimizer_mode	string	ALL_ROWS
optimizer_secure_view_merging	boolean	TRUE
optimizer_use_invisible_indexes	boolean	FALSE
optimizer_use_pending_statistics	boolean	FALSE
optimizer_use_sql_plan_baselines	boolean	TRUE

```
SQL> SELECT * FROM sh.sales WHERE quantity_sold > 40 ORDER BY prod_id;
SQL> SELECT * FROM sh.sales WHERE quantity_sold > 40 ORDER BY prod_id;
SQL> ALTER SESSION SET OPTIMIZER_MODE=FIRST_ROWS;
SQL> SELECT * FROM sh.sales WHERE quantity_sold > 40 ORDER BY prod_id;
```

- A. The optimizer uses a new plan because none of the plans in the exhibit2 are fixed plans.
- B. The optimizer uses the plan in the second row of the exhibit2 because it is an accepted plan.
- C. The optimizer uses the plan in the first row of the exhibit2 because it is the latest generated plan.
- D. The optimizer uses the plan in the first row of the exhibit2 because OPTIMIZER_MODE was set to FIRST_ROW during its creation.

Answer: B

Question: 4

Which statement describes the effect of table redefinition on the triggers attached to the table?

- A. All triggers on the table remain valid.
- B. All triggers on the table are invalidated and are automatically revalidated with the next DML execution on the table.
- C. All triggers on the table are invalidated and must be manually recompiled before the next DML execution on the table.
- D. Only triggers that are affected by the changes to the structure of the table are invalidated and automatically revalidated with the next DML execution on the table.

Answer: B

Question: 5

USER_DATA is a nonencrypted tablespace that contains a set of tables with data. You want to convert all existing data in the USER_DATA tablespace and the new data into the encrypted format. Which methods would you use to achieve this? (Choose all that apply.)

- A. Use Data Pump to transfer the existing data to a new encrypted tablespace.
- B. Use ALTER TABLE..MOVE to transfer the existing data to a new encrypted tablespace.
- C. Use CREATE TABLE AS SELECT to transfer the existing data to a new encrypted tablespace.
- D. Enable row movement for each table to be encrypted and then use ALTER TABLESPACE to encrypt the tablespace.
- E. Encrypt the USER_DATA tablespace using the ALTER TABLESPACE statement so that all the data in the tablespace is automatically encrypted.

Answer: A, B, C

For complete [Exam 1Z0-050 Training kits and Self-Paced Study Material](http://www.examsking.com/1Z0-050)

Visit:

<http://www.examsking.com/1Z0-050.html>



www.examsking.com



For Latest 1Z0-050 Exam Questions and study guides- visit- <http://www.examsking.com/1Z0-050.html>