

Exam 70-237 study material

Made available by ExamsKing.com



Free 70-237 Exam Preparation Questions

Exam 70-237: Pro: Designing Messaging Solutions with MS Exchange Server 2007

Question: 1

What Active Directory requirements do you have if you want to install Exchange Server 2007 into your forest? (Select all that apply.)

- A. Windows Server 2003 Service Pack 1 or later must be installed on the server that hosts the Schema Masterrole.
- B. All domains where you want to install Exchange Server 2007 must run in Windows 2003 domain functional mode.
- C. Domains where you install Exchange Server 2007 must run in Windows 2000 native domain functional mode.
- D. Install at least Windows Server 2003 Service Pack 1 on all global catalogs that are located in AD sites where you plan to install Exchange Server 2007.

Answer: A, C, D

Question: 2

Company.com has a main office and several branch offices. An AD site exists for each office. Each site has two Exchange Server 2003 servers and one routing group connected by a routing group connector, which uses both Exchange servers as local bridgehead servers. You want to implement Exchange Server 2007. Each office will have two Exchange Server 2007 Hub Transport servers. Exchange Server 2007 servers will be on the same network segment as Exchange Server 2003 servers. Exchange Server 2003 mailboxes will be moved to Exchange Server 2007 Mailbox servers in the same office during next two months. Your solution will meet the requirement as blow: Use the local network to transfer e-mail messages even if the mailbox has been moved to Exchange Server 2007. It will not interfere with how Exchange Server 2003 delivers e-mail to other Exchange Server 2003 servers. What is your suggested solution? (Each correct answer presents part of the solution. Choose two.)

- A. You should add an SMTP connector using the Exchange Server 2007 Hub Transport servers as smart hosts.
- B. You should add smart host to the SMTP virtual server. Configure the smart host to deliver e-mail to the Exchange Server 2007 Hub Transport servers.
- C. Create routing group connectors between each of the existing routing groups with the name Exchange Routing Group.
- D. For each routing group connector, configure the local Exchange Server 2007 Hub Transport servers as the remote bridgeheads.

Answer: C, D

Question: 3

You are an Exchange Administrator responsible for one Exchange Mailbox server that contains both a mailbox store and a public store. You want to be able to recover access to both mailboxes and public folders in case of a database failure. You do not want to buy additional hardware. What can you do?

- A. Configure LCR
- B. Configure CCR
- C. Configure SCC
- D. Nothing; schedule backups

Answer: A

Question: 4

You need to back up the mailbox databases. Your backup plan should ensure that: A full backup of the Mailbox database must be performed twice a day. Backups must not interfere with online maintenance and must have the least impact on server performance. What should you do?

- A. Move transaction logs to the a new physical disks on mailbox servers.
- B. Run streaming backups of the mailbox databases at 1:00 p.m. and 11:00 p.m.
- C. Create additional storage groups and mailboxes databases. Distribute mailboxes across multiple mailbox databases.

- D. Add additional physical disks to the Mailbox servers. Configure each storage group to use local continuous replication to replicate the databases on the new disks. Perform volume shadow copy backups of the passive copy of the mailbox database at 1:00 p.m. and 11:00 p.m.

Answer: D

Question: 5

You are an Exchange Administrator responsible for an Exchange 2007 organization that consists of one Exchange 2007 Mailbox server, one Client Access server, and one Hub Transport server. You have followed all guidelines available to back up your environment, and now you are faced with a Client Access server failure. You have a spare box (different hardware than for the original server) ready to take over the functionalities of the failed server. What three actions should you take to successfully recover your Client Access server?

- A. Restore file-level backup and system-state backup of the Client Access server.
- B. Install a Client Access server using Setup /m:RecoverServer.
- C. Restore file-level backup to restore the Availability web service and Outlook Web Access virtual directories settings.
- D. Reapply any customizations that you have logged after deploying the Client Access server.

Answer: B, C, D

Question: 6

You just deployed a new backup system supporting streaming backups to a tape device. Your disaster recovery plan for Mailbox servers should ensure that loss of data must be less than 4 hours if a complete server failure. Transaction logs on Mailbox servers must be deleted only once each day. Only the disk storage available on the existing Mailbox servers must be used. What should you do?

- A. Perform a copy backup every night and an incremental backup every four hours.
- B. Perform a full backup every night and a differential backup every four hours.
- C. Enable circular logging on all storage groups.
- D. Implement local continuous replication on all storage groups.

Answer: B

For complete [Exam 70-237 Training kits and Self-Paced Study Material](http://www.examsking.com/70-237.html)

Visit:

<http://www.examsking.com/70-237.html>



www.examsking.com



For Latest 70-237Exam Questions and study guides- visit- <http://www.examsking.com/70-237.html>